## INDEX TO VOLUME XXIV

New names and the final members of new combinations are in **bold face type.** Mistakes in the spelling of scientific names encountered in text are corrected in the index.

Abbott, E. V., A powdery mildew on cotton from Peru 4 Abies 215, 427; balsamea 382, 421, 426; pectinata 426 Absidia subpoculata 399-401 Acanthospermum australe 160; xanthioides 160 Acanthospora 20, 24, 26, 58, 59 Acetabula 255 Achlya 270-273, 276, 279, 282, 283, 298, 436, 446, 447; oblongata 500 Achyrocline 156; glandulosa 157; hyperchlora 157; polycephala 157; ramossissima 157; satureioides 156; satureioides Vargasiana 156; Vautheriana 156 Acnistus 81, 83; aggregatus 81; arborescens 81 Acrothecium robustum 399-401 Aecidium 63, 79, 121, 128, 157, 159, 177, 183, 209, 414; ampliatum 120; Arechavaletae 99; australe 128; borreriicola 96, 97; Cestri 84; Chuquiraguae 183; Clematidis 211; elongatum 62; Enceliae 159; Erigerontis 127, 128; Fuchsiae 97; Galii ambiguum 98; **Holwayi** 97; Lantanae 63; Liabi 177; Mikaniae 78; Myosotidis 209, 212; papudense 78; Poecilochromae 79; quitensis 177; Ranunculi 207, 212; Soloni arcosto 21; coloni 202, 212; Solani-argentei 81; solaninum 83; solaninum laevis 83; solanophilum 83; Spegazzinianum 62; Spegazzinii 128; Stachylarphetae 63; tubulosum 83; Uleanum 83; Verbenae 62, 63; verbenicola 62; verbeniphilum 62 Agaricus campestris 513 Ageratum conyzoides 122 Alectoria 342; sarmentosa 343 Aletris 396; fragrans 361 Aleuria 233, 257; asterigma 194 Aleurina 256, 257 Allium Cepa 40

Allodus 226; Ancizari 148 Allomyces 293, 489, 500; arbuscula

437, 445 Alnus 309, 318

Alopecurus pratensis 208, 213 Alternaria 200-206 Ambrosia artemisiifolia 330 Ananas sativus 29, 31, 33, 34, 36, 38, 40, 42, 45–47, 50 Anguria Warmingiana 101 Aphanomyces parasiticus 298; phy-cophilus 298 Aphelandra prismatica 96 Aplerospora 20, 23, 25, 56, 58, 59 Apodachlya brachynema 296; punctata 296; pyrifera 295 Apodya brachynema 296 Araiospora coronata 296; pulchra Araucaria 396; araucana 372; imbricata 372, 373 Aristida stricta 464 Armillaria 267 Arrabidaea 89; Blanchetii 89 Arrhenatherum elatius 208, 210, 213 Arthur, J. C., The rusts of New Zealand 413 Artotrogus hydnosporus 47 Ascobolus 250, 347; magnificus 192 Ascodesmis 250 Ascotremella 262 Aspergillus alliaceus 399-401; flavus 399-401; fumigatus 399-401; lu-chuensis 399-401; niger 399-401; Tamarii 399-401 Aspilia phyllostachya 172 Avena barbata 210, 213; fatua 210,

Azalea 307

Baccharis 130, 131, 136, 138-141, 143-156: alaternoides 149; anomala 145; Burchellii 137; cassinefolia 152; dracunculifolia 144, 148; Fevillei 138, 142; floribunda 138, 139, 142, 143; glutinosa 138, 139; hemiprionodes 155; Kellermanii 227; marginalis 138; orgyalis 141; oxyodonta 138, 153; pauciflosculosa 141; platypoda 143; pulchella 155; racemosa 139; saliens 140; scandens 145; Schultzii 141; serrulata 152; spartea 139; subpenninervis 139; teindalensis ("fein-

213

518

Cit

Cla

Cla

Cli

Cli

Cle

Co

Co Co

Co

Co

Co

Co

Co

Co

Co

Co

Co

Cr

Cr

Cr

Cı

Cı

Cı

Cı

D

D

D

D

D

D

D

dalensis") 148; tridentata 149; Calea 162; cuneifolia 161; huigrensis trinervis 137 Bacillus carotovorus 470 Calvin Henry Kauffman, Baeodromus Eupatorii 127; Seneci-Mains 265 Camellia 417, 418; japonica 358 Campbell, Leo, Some species of onis 178 Batatas edulis 362 Bender, Harold B., The genera of Plasmopara on composites from fungi imperfecti 410 Guatemala 330 Beta vulgaris 46 Canavalia ensiformis 38, 40, 42, 47, Betula 290 Bidens 173; andicola 172; cyanapii-Cannabis sativa 22 folia 330; macrantha 172; pilosa 172, 173, 331; rubifolia 173 Capsicum 226; annuum 226 Carica Papaya 22, 28–34, 38, 40, 43, Bisby, G. R., Type specimens of cer-tain Hysteriales 304 45, 47 Carpenter, Evelyn I., The viability Blainvillea dichotoma 173 of cultures of Rhizopus nigricans 512 Blakeslea 187 Blastocladia 297, 298; Pringsheimii Castanea vesca 312 291, 293; ramosa 293; truncata Castilleia 86 293 Catenaria Anguillulae 284, 286 Blechum Brownei 95 Catinella 256, 257 Cayaponia 102; tayuya 102; ternata Blitridium 313; hiascens 320 Boletinus 339; cavipes 339; glandu-losus 340; grisellus 340; paluster 102 Ceanothus 307, 308 339; pictus 337, 339; spectabilis Cedrela 396; sinensis 368 Cenangium 421-423, 426, 427; bal-sameum 421, 422, 426, 427, 429; 339 Boletus 339; oletus 339; aeruginascens 340; Clintonianus 339, 340; elbensis 339, balsameum abietinum 422 Cephalosporium curtipes 399-401 340; elegans 340; erythropus 340; flavus 340; granulatus 338; lari-cinus 339, 340; luteus 338; por-Cerotelium 94; Holwayi 86, 94 Certain species of Heterotextus, G. phyrosporus 334-336; purpureus W. Martin 215 340, 341; rhodoxanthus 340, 341; scaber 338; serotinus 339, 340; sordidus 335, 336; subluteus 338; Cestrum 80, 85; auriculatum 84; calycinum 85; Parqui 85; Schlechundulatum 85; strigillatum 80, 85; viscidus 340 Borreria angustifolia 97; latifolia 97; Chamaecyparis 317 verticillata 100 Botrytis 233-235, 239, 345, 469-472, Chara 283 Charonectria 258 Choanephora 187, 192, 195; cucurbi-tarum 191, 194 475; convoluta 475 Boudiera 250 Chromocrea 258, 259 Bromus inermis 210, 213; tectorum Chromocreopsis 258-261; cubispora 210, 213 260; striispora 260 Chrysocyclus 80, 223; Cestri 80, 222, Bulgaria 253; globosa 253; inquinans 253 223; Mikaniae 121, 222, 223; Se-Bullaria impedita 76; inaequata 115; necionis 221, 222 semiinsculpta 118 Chrysomyxa Senecionis 178 Chrysopsora 80; Cestri 80, 223; Gynoxidis 178; Mikaniae 80, 121, Bulliardiella 325 Burlingham, Gertrude S., Two new species of Lactaria 460 Buxus sempervirens 199; semper-Chuquiragua 183; glabra multiflora virens angustifolia 199, 204, 206 183; tomentosa 183 Bystropogon 66; mollis 66; spicata Chytridium 281, 282; Hydrodictyii 277; laterale 274; Olla 282; pol-linis Pini 275; Schenkii 280, 282; Caeoma 144, 414; Cichorii 185;

vagans 275

122

Cichorium Intybus 185

Cinnamomum Camphora 358

Cionothrix andina 122; praelonga

gnaphaliatum 157; Negerianum

Caesalpinia pulcherrima 223

Cajanus indicus 38, 40, 42, 47, 50

144

399-401; pur-Citromyces fuscus purescens 399-401 Cladochytrium 287; Nowakowskii 285; polystomum 285, 286; repli-Nowakowskii catum 285 Classification of Pythium, F. K. Sparrow, Jr. 351 Clintoniella 258 Clitocybe 267 Closterium 286; acerosum 288 Coccocypselum Condalia 98 Coccoloba 396; uvifera 364 Coleochaete 285 Coleosporium Elephantopodis 103; Senecionis 178 Coleus 31 Coniothyriopsiella 410; insitiva 410 Coniothyriopsis 410; Hualaniae 410; insitiva 410 Conyza triplinervia 128 Cookeina 257 Coprinus Boudieri 230; lagopus 229, 232; sterquilinus 513 Cortinarius 266 Coryneum 428 Crassopsora Stevensii 223 Crataegus 309 Cremastus 89; sceptrum 90 Creonectria 259 Cronartium 404; andinum 122; coleosporioides 86; Harknessii 403, 406; praelongum 122 Crossing hermaphroditic races of Neurospora, B. O. Dodge 7 Cryptomeria 358, 396; japonica 365 Cryptothrips floridensis 358 Cucumis Citrullus 22; Melo 22, 23 Cunninghamella 187, 191, 195; echinulata 194, 399-401; elegans 399-

sis

B.

of

m

7.

3,

15

a

Dacryomyces alpina 216; monticola 216
Dactylis glomerata 208, 213
Danthonia californica 209, 213
Dasyscypha 255
Dasyspora foveolata 228
Davidson, Ross W., Notes on tropical rusts with descriptions of two new species 221

Cupressus 317, 370, 396; glauca 365

Cytology of a diploid sterile hymen-

Cyrtanthera Sellowiana 96

omycete, J. E. Sass 229

Delostoma Morleyanum 94

Cytisus 373, 379, 396

Dentigera 279, 280 Dermatea 422, 427–429; balsamea 424, 427–429; Cerasi 427; eucrita 427; livida 427–429 Deschampsia caespitosa 210, 213; flexuosa 209, 213 Detonia 261 Diaporthe 486; conorum 428, 429; umbrina 485, 488

umbrina 485–488 Diatrype 314

Dicaeoma Clematidis 211; Oyedaeae 163 Dichaena 325

Didymopsora Chuquiraguae 183; Solani-argentei 81 Dietelia 80 Diodia Radula 99; rigida 99

Diodia Radula 99; rigida 99 Diplophiyctis intestina 275, 283 Discaria 396; americana 373, 377 Discina 252; perlata 252 Discosia 380

Ditiola Shopei 217
Dodge, B. O., Crossing hermaphroditic races of Neurospora 7; Notes
on three hemlock fungi 421; Spermogonia of Diplocarpon Rosae 245

Donald, L. R., A new fungus for the United States 455 Drayton, F. L., The sexual function of the microcondin in certain dis-

of the microconidia in certain discomycetes 345 Drayton, F. L. and Whetzel, H. H., A new species of Botrytis on rhi-

zomatous Iris 469 Durandia 261, 262 **Durandiella** 262

Eatonia pennsylvanica 207 Echites tomentosa 223 Eleocharis 396; palustris 385 Elephantopus 103; mollis 103 Emmeorrhiza umbellata 100 Encelia canescens 159 Endophyllum 63, 79, 404; Holwayi 79; Stachytarphetae 63

Equisetum I, 3; arvense 3; hyemale 3; laevigatum 3; robustum 3 Erigeron 127; bonariensis 127, 128; hirtellus 129; laxiflorus 127; scaposus 331, 332 Eriosporangium 68; Hyptidis 69;

Hyptidis-mutabilis 70 Erysiphe 5; Malachrae 4, 5 Eucalyptus 366, 396; globulus 360, 366; Stewenianus 370

Eugenia 396; uniflora 367 Euonymus 396; chinensis 370; japonicus 373, 375, 377–379

Eupatorium 121-124, 127; adenanthum 123; areolare 331, 332; betonicaeforme 123; Bridgesii 123; cacalioides 124; columbianum 124; glechonophyllum 127; glutinosum 126; inulaefolium 123, 124; inulae-

folium suaveolens 124; lasiophthalmum 120; macrocephalum 123; Pseudochila 122; pseudoriganoides 123; pumilum 123; purpurascens 123; Solidaginis 123; subscandens 122; urubambense 123 Exascus 256

Exidia glandulosa 511 Exoascus 256

Exosporina 410; Laricis 411; manaosensis 411

Exosporinella 410; manaosensis 411

Ezekiel, Walter N. and Taubenhaus, J. J., On a new damping-off disease of Texas bluebonnets 457

Farlowiella 325; repanda 319, 325 Fenner, E. Aline, Mycotypha microspora, a new genus of the Mucoraceae 187

Festuca ovina 208, 213; rubra 208, 213

Fischeria 223

Flammula 267

Franseria artemisioides 168 Fraxinus 295, 297 Fuchsia dependens 97; serratifolia 97 Fulminaria Hedenii 283

Fusarium elegantum 399-401

Fusicoccum 423

Galactinia 255 Galinsoga parviflora 331–333 Galium 99; aparine 98; cochabambense 99

Gardoquia tomentosa 65

Gaultheria 360, 367, 396; procumbens 383

Gelatinosporis 256 Gelatinosporium 256, 421, 422, 425-428; abietinum 421, 422, 424, 426, 429; Abietis 427

Genera of fungi, Fred J. Seaver 248 Genera of fungi imperfecti, Harold B. Bender 410

Genus Protodontia, G. W. Martin 508

Geopyxis 255
Gill, L. S., Notes on the pycnial
stage of Peridermium cerebroides

Gladiolus nanus 346 Gliocladium fimbriatum 399-401

Gloeosporium Equiseti 2, 3 Gloniella 321, 325; ovata 325 Gloniopsis 314, 323, 325; biformis 307, 325; connivens 308, 309, 323; curvata 307, 309, 314, 325; decipiens 323, 325; insignis 314, 325; Verbasci 315, 318, 323, 325

Glonium 311, 316-318, 325, 326; accumulatum 306, 325; Cyrillae 308, 309, 326; graphicum 312, 325; hyalosporum 313, 314, 327; lineare 315, 326; nitidum 311, 317, 326; parvulum 306, 316, 317, 326; Ravenelii 319, 328; simulans 320, 326; stellatum 306, 320, 325 Gnaphalium 157; paniculatum 157; purpureum 157, 331; spathulatum 157; spicatum 157

157; spicatum 157

Godronia 353; **parasitica** 354 Gomphidius 267 Gonopodya 300; polymorpha 290, 291; prolifera 291; siliquaeformis 291

Gossypium peruvianum 4

Guba, E. F., Monograph of the genus Pestalotia 355; The type of Pestalotia 352

Guba, E. F. and Linder, D. H., Mycological nomenclature 419

Guepinia 215, 217; alpina 215-219; helvelloides 217; monticola 215-218; occidentalis 215; Peziza 219; pezizaeformis 215, 218, 219; spathularia 217

Guepiniopsis 217 Gyelnik, V., Some lichens of Oregon

342 Gynoxys 178; buxifolia 178; Hallii 178, 182; hypomalaca 178 Gyrocephalus rufus 217

Haematomyces 262 Haplolophium bracteatum 91 Harpochytrium Hedenii 275, 283 Hedera 396; Helix 360, 372 Helianthus annuus 40, 42; hypar-

gyreus 164 Helicoma 416; niveus 418; Sphae-ropsidis 418; stigmateum 418

Helicoon 416 Helicoum 416 Hendersonia 428

Henriquesia cinerascens 308 Heteropteris laurifolia 224, 226 Heterotextus 215, 217-219; alpinus 217, 218; flavus 215

Heterothalamus boliviensis 129 Hieracium 185; pazense 185 Histeropteris 415

Höhnk, Willy, A new parasitic Pythium 489

Holwayella 80; Mikaniae 121 Hormiscium hysterioides 315 Hormodendrum olivaceum 399-401

Howea Forsteriana 358 Humaria 255-257

Humarina 256 Hydnum fasciculare 511 Hyphomycetarum 294

Hypochaeris radicata 185

Hypocrea 258, 259; apiculata 258; cubispora 261; gelatinosa 258; sulphurea 259

Hypomyces 254, 258, 259; apiculatus

255, 259; xylophilus 255 Hyponectria 258 Hypoxylon 256, 314

8, re ;

m

is

Hypoxylum 256

Hyptis 67, 69-72, 131; arborea 69; canescens 69; carpinifolia 69; dubia 70; eriocephala 68; fasciculata 71; odorata 72; pectinata 70, 71; spicata 72; suaveolens 70; umbrosa 70

Hysteria 314

Hysterium 315, 319, 320, 326; abbreviatum 305, 306, 326; acerinum 306, 326; acuminatum 306, 319, 326, 327; angustatum 306, 307, 311, 319, 326; Azaleae 307, 328; Berengerii 307, 326; betulignum 307, 326; biforme 307, 326; Ceanothi 307, 327; chlorinum 308, 326; cinerascens 308, 328; confluens 308, 328; connivens 308; Cyrillae 308, 309; depressum 310, 326; elon-gatum 305, 310, 311, 316, 327; Eucalypti 311, 326; fibritectum Eucatypti 311, 320; noritectum 311, 326; flexuosum 307, 311, 327; formosum 311, 312, 327; fusiger 312, 326; Gerardi 312, 327; graphi-cum 312; hiascens 313, 327, 328; hyalinum 313, 328; insidens 307, 310, 312, 314, 326, 479; Kalmiae 314, 328; Lesquereuxii 315, 327; librincola 315, 328; lineare 315; Lonicerae 315, 325; macrosporum 315, 321, 326; magnosporium 310, 316, 327; medium 316, 326; Mori 306, 316, 327; nova-caesariense 317, 327; nucicola 317, 328; ova-tum 317, 328; praelongum 318, 325; prominens 318, 327; pulicare 306, 307, 313, 318, 321, 326; pulicare augustatum 319; pulicare betulinum 318; pulicare laeve 319; pulicare lenticulare 318; pulicare pedicellatum 319, 328; Pumilionis 312, 327; putaminum 319, 327; repandum 319; Rhois 319, 328; Rousselii 313, 316, 319, 327; rugulosum 320, 328; Sambuci 320, 328; stygium 320, 328; subrugosum 306, 321, 327; sycnophilum 321, 328; Syringae 309, 321, 328; thujarum 316, 321, 326, 479; tortile 312, 322, 479; truncatulum 322, 326; vari-abile 322, 327; varium 323, 328; Verbasci 323; viticolum 323, 327;

viticolum ruborum 323; vix-visibile 324, 328; vulvatum 324, 327

Hysteroglonium 325

Hysterographium 307, 309, 316, 320, 324, 327; elongatum 310, 311; flex-324, 327; elongatum 310, 311; nex-uosum 308, 311, 317, 318, 324; for-mosum 312; Fraxini 312, 327; guaraniticum 313, 327; hiascens 313; insigne 314; kansense 314, 327; Mori 311-315, 319-322, 327, 479; naviculare 316, 327; nova-caesariense 317; Rehmianum 316, 324, 327; subsurgerum 311, 313 324, 327; subrugosum 311, 313, 314, 321; vulvatum 324

Hysteropatella Prostii 324

Identification of Diaporthe umbrina on Rose from England, Anna E. Jenkins and R. P. White 485 Ilex 396; opaca 358, 360, 361, 374, 380

Inocybe 267

Ipomoea 396; Batatas 38, 40, 42, 47, 50, 362

Iris germanica 470; pallida 470; plicata 470

Jackson, H. S., The rusts of South America based on the Holway collections-VI 62

Jenkins, Anna E. and White, R. P., Identification of Diaporthe umbrina on Rose from England 485 Jungia rugosa 184 Juniperus 312, 328

Kauffman, Calvin Henry 265

Kanouse, Bessie B., A physiological and morphological study of Saprolegnia parasitica 431

Kevorkian, A. G., Prominence of a conidial stage in Patella abundans

Koeleria cristata 210, 213

Lachnea 252, 253; abundans 233; cretea 233

achnella 254

Lactaria 255, 460; ligniota 463; nigroviolascens 460-463; resima 461; villozonata 460, 461, 463

Lactarius 460, 461 Rabenhorstii 286, 289 Lagenidium 281;

Lamprospora 250, 261

Lantana 63: brasiliensis 63: Camara 65; lilacena 63; mixta 65; rugulosa 63; trifolia 64 Larix 479; occidentalis 382

Laurus Sassafras 376 Leiospora 20, 23, 25, 58, 59 Leonotis nepetaefolia 66 Leontodon Taraxacum 186 Lepiota 267

Leptomitus brachynema 296; pyri-

ferus 295

Lespedeza 396; bicolor 368

Liabum 180; Eggersii 179; hastatum 180; hastifolium 177, 180; igniarium 177

Lichens of Oregon, V. Gyelnik 342 Linder, D. H. and Guba, E. F., Mycological nomenclature 419

Lippia 64; hemisphaerica 65; ligus-trina 65; rhodocnemis 64; triflora

Liquidambar 328 Lithraea ("Lythrea") 396; mol-leoides 360, 365

Litsea 396; glutinosa 368 Lituaria stigmatea 418

Lloyd mycological collection, John A. Stevenson 247

Lohman, M. L., Three new species of Mytilidion in the proposed subgenus, Lophiopsis 477

Lonicera 315 Lophiopsis 477-479, 483

Lophium 477, 483; decipiens 310; do-labriforme 477; mytilinum 316, 328, 477, 479, 482, 483; naviculare 316, 327; Sassafras 307, 320, 328

Lundia 92; nitidula 92 Lupinus texensis 457 Lycoperdon 256; Equiseti 1 Lycoperdum 256

Madia 164; chilensis 164; sativa 164 Magnolia 417

Mains, E. B., Calvin Henry Kauff-man 265; Physiologic specialization in Puccinia Eatoniae 207

Mangifera indica 382 Martin, G. W., On certain species of Heterotextus 215; The genus Protodontia 508

Mehrlich, F. P., Pseudopythium phytophthoron a synonym of Phytophthora Cinnamomi 453

Melastiza 257 Melosira 275, 276

Metasporangium 15, 19, 20

Micromyces 273, 274; cristata 274 Micromycopsis 273, 274; cristata 273; cristata minor 271, 273, 274

Micropera 427, 429; Abietis 424, 426, 427, 429; drupacearum 427

Micropuccinia 228 Mikania 122, 125, 126; Argyreiae 124; buddleiaefolia 121, 125; confertissima 125; Lindbergii 121

Milesia 415 Mimusops 396 Mollisia 255

Monactis subdeltoidea 175 Monilia brunnea 399-401

Monilinia 262

Monoblepharis 290, 291; sphaerica 290

N

Monochaetia americana 386

Monograph of the genus Pestalotia, E. F. Guba 355

Monopholis hexantha 162: Holwayae 162

Monostyla 284

Morrow, Marie Betzner, The soil fungi of a pine forest 398

Mougeotia 286, 288 Mucronella 511

Mutisia Clematis 183; sagittifolia 185; viciaefolia 183

Mycological nomenclature, Guba and D. H. Linder 419

Mycotypha 196; microspora 189, 195, 196

Mycotypha microspora, a new genus of the Mucoraceae, E. Aline Fenner 187

Myosotis 209-211; virginica 209, 210, 212, 213

Myrica 396; cerifera 373, 375 481; laeviusculum 478, 479; par-vulum 480-482; rhenanum 481; scolecosporum 480-483; Thujac 481; tortile 310, 312, 322, 328, 478, 479

Mytilinidion 478

Myxosporium 422, 428, 429; abietinum 424, 427-429

Myzocytium 289; proliferum 286,

Naegelia 294

Naegeliella Reinschii 294 Nectria 259

Nectriella 257, 258

Nematosporangium 14, 19, 22, 53

Nephroma 342; Filarszkyanum eu-vulgare 344; lusitanicum 344; parile hybridum 344; resupinatum grisescens 343; resupinatum helvum 343; resupinatum f. inaequalis 343; resupinatum rameum 343; Schultz-Korthii 343; Sipeanum 343, 344; tropicum 343

Neurolaena lobata 228 Neurospora 7, 9, 11, 12; sitophila 7, 10, 13; tetrasperma 7-9

New damping-off disease of Texas bluebonnets, J. J. Taubenhaus and Walter N. Ezekiel 457 New fungi from Isle Royale, Alfred

H. Povah 240 New fungus for the United States,

L. R. Donald 455 New parasitic Pythium, Willy Höhnk 489

New species of Botrytis on rhizomatous Iris, H. H. Whetzel and F. L. Drayton 469

Nicotiana tomentosa 81

Nitella 275, 283; flexilis 283, 298 Notes and brief articles 245, 349, 413, 467, 515

Notes on Boletes. I, Walter H. Snell 334

Notes on Sarcosphaera funerata, Erdman West 464

Notes on the pycnial stage of Peridermium cerebroides, L. S. Gill

Notes on three hemlock fungi, B. O. Dodge 421

Notes on tropical rusts with descriptions of two new species, Ross W. Davidson 221

Notholcus lanatus 209, 210, 213 Nowakowskiella 285-287; elegans 285; obscura 285

Observations on the aquatic fungi of Cold Spring Harbor, F. K. Sparrow, Jr. 268

Odontia 508-511 Oedocephalum 194, 233; echinulatum 194

Oedogonium 275, 279, 282-284 Oidium 204

Olea europaea 382 Olpidiopsis 271; echinata 270; fusiformis 270, 272; luxurians 270-272; minor 270–272; Saprolegniae 270, 271, 276, 277; vexans 270 Opegrapha 321; varia 321

Opuntia 464

Orthopappus angustifolius 103 Orthosporangium 15, 19, 20 Ostreichnion americanum 306

Ostreion 306, 328; americanum 320, 323, 328; europaeum 327 Otidea 255

Ovulariopsis Gossypii 5 Oxyanthus 396; pubescens 376 Oyedaea 161, 163; acuminata 163;

boliviana 161; verbesinoides 163 Palicourea crocea 100

Panicularia elata 209, 213

Parthenium argentatum 166, 167; Hysterophorus 166, 167 Paspalum 84

Patella 233, 235, abundans 235, 239 235, 252, 253, 257;

Paxillus 267 Peckiella 254, 255; xylophila 254

Pelargonium 31

Peltigera 342; canina rufescens 342; canina spongiosa 342; dolichorrhiza 342; Hazslinszkyi 342; membranacea fibrilloides 342; membranacea pellucidoides 342; membranacea Szatalae 342; polydactyla 342; polydactyla subnervosa 342; praetextata subcanina 342; scutata collina 343; variolosa 343; variolosa britannica 343; variolosa crispa 343; variolosa dactylodes 343; venosa 343

399-401: chrysogenum Penicillium 399-401; fellutanum 399-401; guttulosum 399-401; intricatum 399-401; lilacinum 399-401; lividum 399-401; restrictum 399-401; ru-gulosum 399-401; Thomii 399-401

Pennisetum barbinodum 47, 50 Peridermium 403; cerebroides 403, 404, 406, 408; Cerebrum 403, 408; Harknessii 403; Pini 403

Perrotia 254 Perymenium ecuadoricum 174

Pestalotia 415, 416; adusta 359, 360, 387, 395; **Aletridis** 361, 386, 395; americana 386; annulata 360, 361, 392, 394, 395; aquatica 388, 389; Araucariae 371, 372, 395; Batatae 362, 391, 393, 395; bicolor 362, 389, 395; caffra 362, 392, 393, 395; caudata 394, 395; Cesatii 395; clavata 392-394; clavispora 360, 390, 396; Cliftoniae 390; Coccolobae 364, 388, 389, 390, 396; copernica 386; Cryptomeriae 364, 387, 396; cupressina 365, 396; curta 390; dichaeta 360, 365, 386, 388, 396; dis-seminata 360, 365, 366, 388, 390, 396; Eucalypti 365, 366, 396; Eugeniae 366, 388, 396; Euonymi 375, 377, 379, 396; foedans 388, 390, 391; funerea 356, 358, 365, 369, 375, 395, 396; funerea Euonymijaponici 375, 376, 378, 379, 396; funerea macrochaeta 369, 396; funerea Royenae 380, 381, 396; funerea typica 369, 370, 396; Gaultheriae 360, 367, 389, 396; gibberosa 367, 387, 394, 396; glandicola 391; gracilis 376, 389; Guajava 379; Guepini 356, 357, 362, 372, 376, 387, 417; japonica 368, 390, 396;

leprogena 389, 390; Lespedezae 368, 389, 391, 396; longiseta 360, 368, 392, 396; Lucae 372, 374, 396; macrochaeta 369, 373, 386, 387, 396; macrospora 369, 373, 395, 396; macrotricha 358, 394; maculiformans 370, 371, 385, 391–393, 396; Melicoccae 388; Menezesiana 387, 389; Micheneri 371, 373, 388, 388, 396; neglecta 373, 375, 376, 389, 396; Oxyanthi 376, 392, 393, 396; pallidicolor 387; palmarum 357, 387; pampeana 373, 376, 388, 396; peregrina 377, 389, 391, 396; Planimi 377-379, 395, 396; Planimi Euonymi-japonici 378; polychaetia 373, 379, 395, 396; Pidili 379, 395, 396; Psidii 379, 391, 396; Pteridis 369, 396; quadriciliata 380, 395, 396; quercina 378, 380, 385, 389, 396; Rhododendri 358, 392; Powaga 279, 290, 200 380, 385, 389, 390; Rhododendri 558, 392; **Royenae** 378, 380, 390, 396; scirpina 378, 385, 391, 392, 396; scirrofaciens 381, 382, 396; Sorbi 382, 386, 396; spectabilis 377, 379, 396; sphaerelloides 390, 392; stellata 358, 361, 374, 380, 384, 387; stictica 383, 384, 387– 289, 396; Sydowigan, 383, 384, 387– 299, 396; Sydowigan, 383, 301, 303, 389, 396; Sydowiana 383, 391, 393, 396; Theae 393, 394; Tiliae 383, 384, 392, 393, 396; torulosa 389; unicolor 386, 388; vaccinicola 378, 384, 387, 396; Vaccinii 371, 391, 416, 417; verniformis 387; versicolor 358, 382, 385, 392; versicolor americana 385, 386, 396

Pestalozzia 357, 415, 416 (see Pestalotia); Guepini 418; Guepini Vac-

cinii 415, 417, 418

Pestalozzina Aletridis 361, 396 Peziza 194, 233, 252, 257; inquinans 253; leiocarpa 261; miniata 257; Persoonii 1-3; polymorpha 253; venosa 252

Phaeobulgaria 253 Phaeocreopsis 258, 261 Phaeopezia 261 Phaseolus aureus 40, 42, 47 Phialea 255

Phlyctidium 277; laterale 274, 275 Phlyctochytrium 277, 278, 280; dentatum 278; Hydrodictyii 275, 277, 280; planicorne 278, 279; quadricorne 278; Schenkii 279, 280; vertale 277; Zygnematis 278, 279
Phoma 200, 202, 203, 205, 206, 423, 429; alternariaceum 201, 202, 204;

Auerswaldii 199; conidiogena 200, 201, 206 Phoma conidiogena on box, Marjorie

E. Swift 199

Phomonsis 428, 429, 486; occulta 427-429

Photinia serrulata 370

Photographs and descriptions of cupfungi-XVI. Stamnaria, Fred J. Seaver 1; XVII. A new species Seaver 1; XVII. A new species of Godronia, Fred J. Seaver 353 Phyllosticta 380

Physiologic specialization in Puccinia Eatoniae, E. B. Mains 207 morphological Physiological and study of Saprolegnia parasitica, A,

Bessie B. Kanouse 431 Physocladia 285; obscura 285-287 Physoderma 287; maculare 287 Phytophthora 14, 19, 21, 40, 53, 56, 61. 445. 453. 454; cambivora 61;

Cinnamomi 454; parasitica 40 Picea 215: Engelmanni 215, 218; pungens 382

Pinus 327, 396, 479, 482, 483; attenuata 403-408; austriaca 377; radi-ata 403-405, 408; Strobus 481; sylvestris 369, 373

Piptocarpha 103-105; axillaris 104. 105; cinerea 103; oblonga 103; ob-

longa ovatifolia 103 Piptocephalis 187, 195 Piqueria peruviana 126 Pithecoctenium 87, 90 Planimus 379

Plasmopara 330-332; Galinsogae 331-333; Halstedii 330-332; Halstedii Ambrosiae 330; Palmii 331, 332; Vernoniae-chinensis 330

Platanus 383, 396; occidentalis 319, 383, 384

Platyphalla 20, 23, 56, 58, 60 Plectania 257

Plerospora 20, 25, 27, 56, 59 Pleurage 193

Plicaria 233 Plicariella 261

Pluchea odorata 158; Quitoc 158 Poa palustris 208, 209, 213; trivialis 208, 213

Podophacidium 260 Poecilochroma quitensis 79

Polymnia auriculata 168; eurylepis 167; glabrata 167

Polymorphospora 20, 26, 59 Polyporus annosus 194

Porophyllum 227; nummularium 227; ruderale 177

Povah, Alfred H., New fungi from Isle Royale 240

Powdery mildew on cotton from Peru, E. V. Abbott 4

Prominence of a conidial stage in Patella abundans, A. G. Kevorkian

ta

7

Prospodium 88; Amphilophii 87; anomalum 87; appendiculatum 88; anomalum 8/; appendiculatum 88; Arrabidaeae 89, 90; Cremastum 89; elegans 89, 90; Holwayi 90; impolitum 90; Lippiae 64; Lundiae 91; palmatum 92; reticulatum 93; Stizophyllii 93; tecomicola 94; tuberculatum 65

Protodontia 508, 509, 511; uda 508-511; uda furfuracea 509, 510

Protohydnum 508-511; cartilagineum 508, 511; fasciculare 511; lividum 508, 511

Prunus 387, 396; Cerasus 359, 361; Padus 316; serotina 359, 360 Pseudodiplodia 410, 411; auranti-orum 411; ligniaria 411

Pseudodiplodiella 410, 411; aurantiorum 411

Pseudolpidium fusiforme 271, 272 Pseudopithyella 257

Pseudopythium 53, 453; phytophthoron 40, 453, 454

Pseudopythium phytophthoron a synonym of Phytophthora Cinnamomi, F. P. Mehrlich 453

Psidium 396; pomiferum 379 Psiloglonium 325

Psychotria 100

Petris 396; aquilina 370 Puccinellia Nuttalliana 208, 209, 213 Puccinia 80, 101, 109, 122, 130, 131, 165, 175, 223, 226; abrupta 159; Acanthospermi 160; accedens 63; Achyroclines 156; Acnisti 81; aenigmatica 72; aequatoriensis 73; Agropyri 211; albicera 73; albida 66; albula 132, 136, 147; alia 132, 136; allaudabilis 106, 109, 110, 115; ambigua 98; Amphilophii 87; amplifica 67; Ancizari 136, 148, 149; andicola 78; angitionalis 106, 108; annularis 65; anomala 211; apocrypta 211; appendiculata 88; araucana 81; Arthuriana 107; astricta 74; aulica 82; australis 126; baccharidicola 132, 152; Baccharidis 134, 135, 140, 143, 152; Baccharidis-cassinoides 132; Bac-charidis-cylindricae 134, 146; Baccharidis-histellae 133; Baccharidismultiflorae 134, 227; Baccharidis-rhexioides 130, 131, 137; Baccha-ridis-spartea 134, 138; Baccha-ridis-triplinervis 128, 129, 154; Becki 106, 110; Bidentis 172; bi-

ocellata 158; Blechi 95; boliviana 160, 161, 163; bromina 211; caeomatiformis 135, 139, 142; Caleae 161; capitulata 162; Capsici 226; caracasana 165, 166; cavatica 68; Cestri 80, 223; chilensis 136, 139; Cichorii 185; cinerea 211; circinata 224, 226; clara 107; Coccocypseli 98; colossea 139; concumulata 98; condigna 179; Cono-clinii 122; conspersa 74; consueta 135, 140; consulta 134, 140; conturbata 75; Conyzae 128; crassicutis 183; cundinamarcensis 163; cuzcoensis 136, 142; defecta 184; deprecanea 107, 111, 117; Dicondrae 414; dispersa 211; distorta 69; doloris 129; Eatoniae 207, 209, 211–213; Eatoniae Myosotidis 212, 213; Eatoniae Ranunculi 212-214; ecuadorensis 165, 166; egressa 133; Eleocharidis 121; elongata 62; Elymi 211; Emiliae 228; erratica 107, 114; Eupatorii 123; Eupatoriicolumbiani 123; evadens 134, 143, 144, 154; examinata 162; exonerata 133; exornata 131, 146; ex-petiva 135, 143, 148; farinacea 75; fausta 108, 111; ferox 163; Fran-seriae 168; fraterna 107; fundata 107, 112, 117; fuscella 108; Galii 99; Gardoquiae 65; gentilis 73; Gilbertii 68; Gilliesi 75; glumarum 211; gnaphaliata 157; Gnaphalii 157; gnaphaliicola 157; Gonzalezi 226; Helianthi 168; Henningsii 132, 144, 152; Heterothalami 129; Hieracii 185; Holwayula 161, 163; horrida 124; Houstoniae 99; Hydrocotyles 414; Hypochaeridis 185; Hyptidis 69; Hyptidis-mutabilis 70; illatabilis 107, 108, 112; imitans 82; Impatientis 211; impedita 76; impetrabilis 107, 113, 115; impolita 131, 144; improcera 131, 133, 134, 145; improvisa 107, 114; inaequata 112, 115, 116; incom-posita 134, 146; indagata 134, 146; posita 134, 146; indagata 134, 146; indecorata 176; inflorescenticola 108; infrequens 75; inopina 132, 135, 147, 149; insulana 107; interjecta 135, 148; investita 157; irregularis 164, 228; Jaliscana 227; Jungiae 184; Lantanae 63; lateritia 99; Laurifoliae 224, 225; Le Testui 108; leonotidicola 66; Leonotidis 66; Liabi 179; Linpiae 64; dis 66; Liabi 179; Lippiae 64; Lorentzii 108, 116; Madiae 164; magnifica 80; majuscula 180–182; Mariae 64; Mayerhansi 132, 152; medellinensis 71; medusaeoides 88;

membranacea 107, 115; Menthaer 66; Mikaniae 124; mikanifolia 125; minuscula 164; mitrata 76; Montoyae 132, 134, 141, 142; Montserrates 134, 153; Mutisiae 185; mutisiicola 185; Negeriana 82; Nicotianae 81; nuda 164; oax-acana 131; obesa 75; oblongula 177; obrepta 164, 166, 170; ornata 88; Oyedaeae 161, 163; pallidis-sima 66; pampeana 82; paramensis 78; Paranahybae 95; parilis 71; Parthenii 166; partheniicola 166; paulensis 226, 277; perfuncta 70, 71; perincerta 135, 149; perscita 71; persistens 211; perspicabilis 132, 149; pertrita 108, 116; per-venusta 133, 136, 150; pestibilis 107, 117; Phaseoli Taraxaci 186; phlyctopus 87; pinguis 117; Pip-tocarphae 103; Piqueriae 125; pistorica 133; Plucheae 158; Po-lymniae 167; Porophylli 177, 227; porphyretica 73, 76; praeandina 131, 155; praeculta 133, 134, 150; praedicabilis 132, 151; praedicta 134, 152; praevara 95; Privae 63; procerula 181, 182; proluviosa 181; punctata 99; Ranunculi 207; roesteliiformis 77; rotundata 118; rubigo-vera 207-209, 211; rudera-ria 135, 153; Ruelliae 95; rugosa 118; salebrata 135, 154; sana 77; Sarachae 82; semiinsculpta 108, 118, 119; senilis 64; seorsa 103, 105; Solani 82; Solani-tristis 83; solanina 83; sordida 128; Spegazzinii 125, 126; spermacoces 99; sphacelicola 67; sphenica 133, 155; spilanthicola 168; Spilanthis 168; splendens 168; Steiractiniae 168; Stenardri 95; subandina 121, 122; subaquila 165, 166, 169; subglo-bosa 159; subita 184; tageticola 176; Taraxaci 185; Tecomae 88; tecomicola 94; tenuis 125; Tessariae 158; Teucrii 65; tolimensis 126; triticina 211; tuberculata 65; tubulosa 83; tucumanensis 71; uli-ginosa 74; unicolor 133, 155; valentula 105; Vanillosmopsidis 105; veniabilis 107, 113, 119; Verbe-sinae-dentatae 170; Vernoniae sinae-dentatae 170; Vernoniae 108; Vernoniae-mollis 107; ver-noniicola 107; vernoniphila 108, 117, 120; vinulla 100; Wedeliae 166; wedeliicola 166, 171 Pucciniola Cestri 84

Pucciniola Cestri 84
Pucciniosira 127; Eupatorii 127;
Holwayi 84; Solani 84

Pustularia 233

Pyronema 11, 233 Pyrostegia venusta 87, 91 Pythiogeton ramosum 299; transversum 299 Pythiomorpha 300; undulata 299

Pythiopsis cymosa 500
Pythium 14–23, 35, 37, 40, 50–53, 56–58, 60, 245, 281, 288–300, 453, 457–459, 489, 496, 504; acanthophoron 21, 24, 28, 36, 37, 55, 58, 60; allantocladon 16, 23, 27, 29, 43, 58; araiosporon 25, 28, 38, 41, 59; Artotrogus 18, 27, 32, 37, 47, 57, 59, 60, 505; Artotrogus macracanthum 47, 54; ascophallon 16, 23, 29, 37, 42, 58; chamaihyphon 24, 33, 49, 58, 60; complectens 23, 30, 31, 41, 53, 58–60; Debaryanum 19, 25, 28, 35–37, 44, 53, 59, 60, 457, 459, 504, 505; diameson 16, 27, 28, 37, 39, 47, 59; epigynum 489, 500–505; euthyhyphon 16, 24, 29, 34, 35, 49, 56, 58; globosum 288; intermedium 24, 30, 34, 58–60; irregulare 19, 26, 32, 37, 41, 42, 59, 60; irregulare 19, 26, 32, 37, 41, 42, 59, 60; megalacanthum 18, 19, 25, 36, 57, 58, 60; plerosporon 27, 30, 41, 50, 59; polycladon 15, 16, 24, 29, 32, 35, 48, 56, 58, 60; polymorphon 26, 32, 35, 37, 52, 59, 60; proliferum 288; pulchrum 504, 505; rostratum 16, 504, 505; splendens 40; undulatum 299; vexans 504, 505

Quercus 309, 311, 327, 360, 374, 380, 385, 396; Ilex agrifolia 374; macrocarpa 314; tinctoria 373, 374, 378, 380, 385; velutina 374, 380, 385

Ranunculus 211; abortivus 207–210, 212, 213; acris 208, 213; californicus 208, 213; Cymbalaria 208, 213; repens 208, 213; sceleratus, 208, 213

Ravenelia Humphreyana 223 Resticularia 289; nodosa 286, 289 Rhabdium acutum 283

Rhipidium 297; americanum 297; elongatum 294

Rhizidiomyces apophysatus 279, 282 Rhizidium 277, 280, 282; carpophilum 276; Fusus 276; Hydrodictyii 277; intestinum 280, 283; quadricorne 279; Schenkii 280; vernale 277 Rhizoclonium 275, 279; hieroglyphicum 278, 280

Rhizoctonia 192, 457-459; Solani 457 Rhizophidium 274, 277, 278, 280; carpophilum 271, 275, 276; Fusus 275, 276; lagenula 276; laterale 274; pollinis 275, 280; vernale 275, 277

Rhizopus 399, 400; nigricans 512-514

Rhododendron 344, 358; indicum 358 Rhopalomyces 194; cucurbitarum 194; elegans 194

Rhyparobius 257 Ricinus communis 31, 33 Royena 396; lucida 378, 381

Rozella septigena 273 Rubus 223, 309, 396; caesius 369; fructicola 360, 369; fruticosus 370 Ruellia longifolia 95; viscida 95

Russula 255 Rusts of New Zealand, J. C. Arthur

413 Rusts of South America based on the Holway collections—VI, H. S. Jackson 62

Rynchospora 177

Saccharum officinarum 40, 47, 50 Saccomyces 280

Salix 327, 362, 396; lasiolepis 318; nigra 362

Salpichroa 79, 86; diffusa 86 Salvia 73-75, 77; arenaria 74; Bangii 75; Bridgesii 77; corrugata 77; derasa 73; erythradena 76; Kuntzeana 73; leucocephala 78; pseudo-avicularis 77; quitensis 75; Sel-lowiana 74; splendens 74; tiliaefolia 76; tortuosa 73

Sapota 396; Achras 381, 382 Saprolegnia 193, 272, 273, 431, 432, 435, 436, 443, 444, 496; ferax 431, 432, 444; hypogena 443; mixta 440, 443; monoica 431, 432, 442-444; monoica glomerata 432; monoica vexans 432, 444; parasitica 431–433, 436, 439, 442–444, 447, 450, 451; siliquaeformis 291

Sapromyces 296; androgynus 295; dubius 294; Reinschii 294, 295

Saracha biflora 82 Sarcoscypha 257 Sarcosoma 253

Sarcosphaera funerata 464, 465

Sarcoxylon 260

Sarcoxylum 260 Sass, J. E., The cytology of a diploid sterile Hymenomycete 229 Sassafras 313, 328; varifolium 376 Schizophyllum commune 229

Schizothyrium 323; cinerascens

Scirpus palustris 378, 385

Sclerotinia 345, 346, 472, 475; Duriaeana 345

Sclerotium Delphinii 470; Gladioli

346, 347, 475
Scutellinia 252, 253, 255, 257
Seaver, Fred J., Photographs and descriptions of cup-fungi—XVI. Stamnaria 1; XVII. A new species of Godronia 353; The genera of fungi 248

Sebacina 511

Secale cereale 210, 214 Senecio 178-180, 221; adenotrichius 178; Berterianus 178; betonicaeformis 178; brasiliensis 178; collinus 179; grandis 179; hastatus 179; pellucidinervis 181, 182; pimpinellaefolius 182; rudbeckiaefolius 179; vulgaris 179

Septonema toruloideum 480 Sepultaria 255

Sexual function of the microconidia in certain discomycetes, F. L. Drayton 345
Sideris, C. P., Taxonomic studies in the family Pythiaceae II. Pyth-

ium 14

Skierka Holwayii 224

Snell, Walter H., Notes on Boletes. I 334

Soil fungi of a pine forest, Marie Betzner Morrow 398

Solanum 81-84; cyrtopodium 81; laxiflorum 84; lycioides 81; mon-tanum 82; Neves-Armondii 83; pulchellum 78; rufescens 83; runcinatum 78; subscandens 83; Swartzianum 81; torvum 83; tuberosum 38, 50; utile 82

Sorbus 383, 396 Sorosphaera 455; radicalis 455; Ve-

ronicae 455

Sparrow, Jr., F. K., Observations on the aquatic fungi of Cold Spring Harbor 268; The classification of Pythium 351

Species of Plasmopara on composites from Guatemala, Some, Leo Camp-

bell 330 Spermacoce tenuior 99

Spermogonia of Diplocarpon Rosae, B. O. Dodge 245

Sphacele paniculata 67 Sphaeria viridis 254, 255 Sphaeropsis pseudodiplodia 418

Sphaerosporangium 14, 504

Sphagnum 291 Sphenopholis 209, 211; obtusata 209,

210, 213; ocimifolia 331, 332; ocymifolia radiifera 168; pallens 207. 209, 210, 212, 213; uliginosa 168 Spinacea oleracea 28, 31, 40 Spirechina Pittieriana 223 Spirogyra 275, 277, 280, 283–286, 289 Stachys arvensis 66; debilis 66; Macraei 67 Stachytarpheta dichotoma 63 Stamnaria 1, 2; americana 1, 2; Equiseti 3 Steiractinia Rosei 169 Stenandrium dulce 95 Stenolobium 88; Gaudichaudi 88; molle 89; Stans 89 Stenophalla 20, 25, 56, 59, 60 Stevenson, John A., The C. G. Lloyd mycological collection 247 Stevia 126; urticaefolia 121 Stigmaphyllon 224 Stilbella 427 Stizophyllum 91; perforatum 93 Streptotheca 257 Swift, Marjorie E., Phoma conidiogena on box 199 Syncephalastrum 187 Syncephalis 187, 195

Tagetes graveolens 176; Mandonii 176; micrantha 176; pusilla 176 Taubenhaus, J. J. and Ezekiel, Walter N., On a new damping-off disease of Texas bluebonnets 457 Taxonomic studies in the family Pythiaceae II. Pythium, C. P. Sideris 14 Tecoma 94; alba 92 Tessaria absinthioides 158; integrifolia 158 Tetrazygia 353; longicollis 354 Teucrium bicolor 65 Thamnocephalis 190 Thielavia terricola 399, 400 Thouinidium decandrum 224 Three new species of Mytilidion in the proposed subgenus, Lophiopsis, M. L. Lohman 477 Thuja 370, 479; occidentalis 321 Tilia 383, 384, 396 Tolypothrix 286, 289 Torulopsiella 410, 411; fumaginea 411; pseudogyroceras 411 Torulopsis 410, 411; fumaginea 411; pseudogyroceras 411; rosea 411 Triticum vulgare 40 Tryblidiella 323 Tryblidium 309; dealbatum 309, 321,

328; rufulum 313; Syringae 309 Tsuga canadensis 382, 421, 422, 424

Two new species of Lactaria, Gertrude S. Burlingham 460 Tynnanthus 91
Type of Pestalotia, E. F. Guba 352
Type specimens of certain Hysteriales, G. R. Bisby 304

Uredo 87, 101, 175, 414; Achyroclines 156; Agerati 122; amaniensis 172; amphiospora 72; annularis 65; Aphelandrae 96; baccha-ridicola 152; Baccharidis 152; Baccharidis-anomalae 146; bidenticola 172; Bidentis 172; biocellata 158: Borreriae 100: cerotelioides 94; Cestri 84; Cicnorii 188; Cyrosporioides 86; cuticulosa 88; Cyrosporioides 86; cuticulosa 88; Cyrosporioides 94; tantherae 96; Delostomae Elephantopodis 103: farinosa Senecionis 178; Gaudichaudii 173; Gnaphalii 157: **Gynoxidis** 182; Gynoxidis Hammari 69; Hieracii 185; Hyptidis 69; illaudanda 105, 155; irrequisita 174; leonoticola 66; Leonotidis 66; Lippiae 64; longiacule-ata 92; luteola 87; Monactidis 175; novissimus 102; Parthenii 166, 167; Plucheae 158; Polymniae 168; psychotriicola 100; quitensis 101; scopigena 158; senecionicola 182; Senecionis 178; temucensis 156; Tessariae 158; tuberculata 156; Tessariae 158; tuberculata 65; Verbesinae-dentatae 170; verbesinicola 175

Urnula 259, 260; Craterium 259, 260; terrestris 260

Uromyces 64, 79; Anguriae 101; Aspiliae 172; bidenticola 172; Bidentis 173; Blainvilleae 173; Borreriae 100; Cayaponiae 103; Cestri 84; Cestri maculans 85; densus 173; Emmeorrhizae 100; Lantanae 63; Lippiae 63; maculans 85; megalospermus 158; novissimus 102; Polymniae 168; ratus 102, 103; Salpichroae 85; sphaericus 173; Werneriae 182; Wulffiae-stenoglossae 174

Vaccinium 396; arboreum 378, 385; ovatum 371, 385 Valeriana microphylla 101; scandens 101 Vanillosmopsis erythropappa 105, 106

Verbena 62; litoralis 62 Verbesina 159, 160, 170, 171, 174, 228; adenobasis 170; boliviana 164; brachypoda 170; dentata 170, 174; glabrata 170; Hallii 163, 174, 175; Mandonii 174; semidecurrens 159

Vermiculariopsiella 410, 412; immersa 412

Vermiculariopsis 410, 412; circino-

tricha 412; immersa 412 Vernonia 106, 109, 111-119, 131; arborescens 110; argyrotrichia 109, 110; bardanoides 118; Beyrichii 115; chinensis 330; cognata 116; Cotoneaster 110; diffusa 109; discolor 112; eriolepis 115; ferruginea 118; flexuosa 120; glabrata 120; lessingioides 116; macrophylla 112; missionis 118; obscura 119; oppo-sitifolia 117; paludosa 115; patens 115; petiolaris 118; petiolaris appendiculata 118; scorpioides 113, 116; scorpioides sororia 116; sericea 114; squarrosa 120; subsquarrosa 115; Westiniana 115, 116, 118 Veronica arvensis 455; Chamaedrys 455; hederifolia 455; triphylla 455 435; hederhola 435; tripinyla 435 Viability of cultures of Rhizopus nigricans, Evelyn I. Carpenter 512 Vicia faba 38, 40, 42, 50 Vigna sinensis 38, 40, 47 Viguaira 159, 160, 167; aurea 159;

australis 159; helianthoides 160;

ranceolata 159; pazensis 159; Pflanzii 159, 166; quitensis 159; retroflexa 159 itis 306

Vitis 396; labrusca 380; vulpina 380

Wedelia 165; helianthoides 170; Holwayi 170; isolepis 165; trichostephia 171

Werneria nubigenia 182

West, Erdman, Notes on Sarcosphaera funerata 464

Whetzel, H. H. and Drayton, F. L., A new species of Botrytis on rhi-

zomatous Iris 469
White, R. P. and Jenkins, Anna E.,
Identification of Diaporthe umbrina on Rose from England 485 Wulffia 174; maculata 174; maculata

Xylopia 228

Zea Mays 38, 40, 50 Zinnia multiflora 331, 332 Zoöphagus insidians 299

oblongifolia 174